| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|-------|---|--|---------------------|---------|------------------|
| L1 | 425 | router same ((private with branch with exchanger) or PBX) | USPAT; EPO; IBM_TDB | OR | ON | 2005/11/08 15:41 |
| L4 | 398 | 1 and (LAN or (network with interface) or (communication with network)) | USPAT; EPO; IBM_TDB | OR | ON | 2005/11/08 15:17 |
| L5 | 35 | 4 and bus with PBX | USPAT; EPO; IBM_TDB | OR | ON | 2005/11/08 15:18 |
| L6 | 35 | 5 and (table or memory) | USPAT; EPO; IBM_TDB | OR | ON | 2005/11/08 15:19 |
| L7 | 28 | 6 and (rout\$3 or transmit\$4 or send\$3) with packet | USPAT | OR | OFF | 2005/11/08 15:20 |
| L8 | 32 | 6 and (rout\$3 or transmit\$4 or send\$3) with packet | USPAT; EPO; IBM_TDB | OR | ON | 2005/11/08 17:18 |
| L9 | 10368 | ((private with branch with exchanger) or PBX or (key with telephone with system)) | USPAT; EPO; IBM_TDB | OR | ON | 2005/11/08 17:02 |
| L10 | 278 | ((private with branch with exchanger) or PBX or (key with telephone with system)) with router | USPAT; EPO; IBM_TDB | OR | ON | 2005/11/08 16:17 |
| L11 | 140 | 10 and bus | USPAT | OR | OFF | 2005/11/08 15:43 |
| L12 | 141 | 10 and bus | USPAT; EPO; IBM_TDB | OR | ON | 2005/11/08 15:43 |
| L13 | 121 | 10 and bus and (network with interface) | USPAT; EPO; IBM_TDB | OR | ON | 2005/11/08 15:44 |
| L14 | 427 | ((private with branch with exchanger) or PBX or (key with telephone with system)) same router | USPAT; EPO; IBM_TDB | OR | ON | 2005/11/08 16:18 |
| L15 | 103 | 14 and bus with interface | USPAT | OR | OFF | 2005/11/08 16:18 |
| L16 | 110 | 14 and bus with interface | USPAT; EPO; IBM_TDB | OR | ON | 2005/11/08 16:18 |
| L17 | 102 | 16 and network with interface | USPAT | OR | OFF | 2005/11/08 16:18 |
| L18 | 102 | 16 and network with interface | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2005/11/08 16:27 |

| L19 | 1444 | ((private with branch with exchanger) or PBX or (key with telephone with system)) and router | USPAT; EPO; IBM_TDB | OR | ON | 2005/11/08 17:30 |
|-----|-------|---|---------------------------|----|-----|------------------|
| L20 | 71 | 19 and router same bus same (network with interface) | USPAT; EPO; IBM_TDB | OR | ON | 2005/11/08 17:04 |
| L21 | 49 | 20 and rout\$3 same (table or memory) | USPAT; EPO; IBM_TDB | OR | ON | 2005/11/08 17:06 |
| L23 | 46987 | "379"/\$.ccls. | USPAT | OR | OFF | 2005/11/08 17:20 |
| L24 | 1372 | 23 and router | USPAT | OR | OFF | 2005/11/08 17:20 |
| L25 | 484 | 23 and router and PBX | USPAT | OR | OFF | 2005/11/08 17:21 |
| L26 | 16 | 25 and router with bus | USPAT | OR | OFF | 2005/11/08 17:25 |
| L27 | 15 | 23 and router with (bus with interface) | USPAT | OR | OFF | 2005/11/08 17:25 |
| L28 | 10 | ((private with branch with exchanger) or PBX or (key with telephone with system)) and 27 | USPAT; EPO; IBM_TDB | OR | ON | 2005/11/08 17:32 |
| L29 | 1444 | ((private with branch with exchanger) or PBX or (key with telephone with system)) and router | USPAT; EPO; IBM_TDB | OR | ON | 2005/11/08 17:32 |
| L30 | 108 | ((private with branch with exchanger) or PBX or (key with telephone with system)) and router same (bus with interface) | USPAT; EPO; IBM_TDB | OR | ON | 2005/11/08 17:33 |
| L31 | 38 | ((private with branch with exchanger) or PBX or (key with telephone with system)) and router with (bus with interface) | USPAT; EPO; IBM_TDB | OR | ON | 2005/11/08 17:48 |
| L32 | 79 | ((private with branch with exchanger) or PBX or (key with telephone with system)) and router with bus | USPAT; EPO; IBM_TDB | OR | ON | 2005/11/08 17:48 |
| L33 | 9 | ((private with branch with exchanger) or PBX or (key with telephone with system)) and router with bus with (NIC or (network with interface)) | USPAT; EPO; IBM_TDB | OR | ON | 2005/11/08 17:58 |
| L34 | 111 | ((private with branch with exchanger) or PBX or (key with telephone with system)) and router with (convert\$3 or translat\$3 or conversion) with (packet or signal) | USPAT; EPO; IBM_TDB | OR | ON | 2005/11/08 18:00 |

| L35 | 13 | ((private with branch with exchanger) or PBX or (key with telephone with system)) and router with (convert\$3 or translat\$3 or conversion) with (packet or signal) and router with (rout\$3 or transmit\$4 or send\$3) with (packet or signal) with table | USPAT; EPO; IBM_TDB | OR | ON | 2005/11/08 18:12 |
|-----|-----|--|---------------------------|----|----|------------------|
| L36 | 204 | ((private with branch with exchanger) or PBX or (key with telephone with system)) and router same (convert\$3 or translat\$3 or conversion) with (packet or signal) | USPAT; EPO; IBM_TDB | OR | ON | 2005/11/08 18:12 |
| L37 | 111 | ((private with branch with exchanger) or PBX or (key with telephone with system)) and router with (convert\$3 or translat\$3 or conversion) with (packet or signal) | USPAT; EPO; IBM_TDB | OR | ON | 2005/11/08 18:12 |
| L38 | 27 | ((private with branch with exchanger) or PBX or (key with telephone with system)) same router with (convert\$3 or translat\$3 or conversion) with (packet or signal) | USPAT; EPO; IBM_TDB | OR | ON | 2005/11/08 18:16 |